

# SCBCD

**CX-310-090**

## **EXAM STUDY KIT**

**JAVA BUSINESS COMPONENT  
DEVELOPER CERTIFICATION FOR EJB**



- Covers all you need to pass
- Includes free download of a simulated exam
- You will use it even after passing the exam

**Paul Sanghera**

# *contents*

---

|                                     |              |
|-------------------------------------|--------------|
| <i>preface</i>                      | <i>xvii</i>  |
| <i>acknowledgments</i>              | <i>xxi</i>   |
| <i>about the exam</i>               | <i>xxiii</i> |
| <i>about the exam simulator</i>     | <i>xxvii</i> |
| <i>about the cover illustration</i> | <i>xxix</i>  |

## ***Part 1 Enterprise JavaBeans 1***

|   |                  |
|---|------------------|
| <b><i>1 Introduction to J2EE</i></b>                | <b><i>3</i></b>  |
| 1.1 The J2EE architecture                           | 4                |
| Bird's-eye view of the J2EE architecture            | 4                |
| Characteristics of the J2EE architecture            | 5                |
| J2EE platform containers                            | 7                |
| 1.2 J2EE application system                         | 8                |
| Using J2EE technologies for application development | 9                |
| J2EE platform support for applications              | 10               |
| 1.3 The J2EE implementation                         | 12               |
| J2EE implementation roles                           | 12               |
| The J2EE reference implementation                   | 14               |
| 1.4 The J2EE and EJB versions                       | 14               |
| 1.5 Summary   | 14               |
| <b><i>2 Overview of Enterprise JavaBeans</i></b>    | <b><i>16</i></b> |
| 2.1 Understanding the EJB architecture              | 17               |
| EJB architecture: The big picture                   | 18               |
| Defining container requirements                     | 20               |
| 2.2 Understanding the EJB components                | 21               |
| Characteristics of enterprise beans                 | 22               |
| JavaBeans and Enterprise JavaBeans                  | 23               |

- 2.3 Benefits of EJB technology 24
  - Reduced time to market 24 ♦ Cost effectiveness 24
  - Reliability and robustness 25
- 2.4 Three flavors of enterprise beans 25
  - Beans that handle synchronous communication: Entity beans and session beans 26 ♦ Beans that handle asynchronous communication: Message-driven beans 27
- 2.5 Specifying EJB roles and responsibilities 28
  - Enterprise bean provider 28 ♦ Application assembler 29
  - Bean deployer 29 ♦ EJB server provider and container provider 30 ♦ System administrator 31
  - Overlap of roles 31
- 2.6 Programming the beans 32
  - Coding the bean class 32 ♦ Coding the bean interfaces 33
  - Writing the deployment descriptor 36
  - Programming restrictions 37
- 2.7 The EJB environment 39
  - The bean's home in the environment: JNDI 39
  - Deployment descriptor elements for the environment 40
  - Required APIs and services 45
- 2.8 Packaging the beans into a JAR file 46
- 2.9 Lab exercise 46
- 2.10 Summary 47

## *Part 2 Session beans 55*

- 3 *Client view of a session bean 57*
  - 3.1 Session beans in EJB land 58
  - 3.2 Session bean remote home interface 59
    - Required methods in the remote home interface 59 ♦ The create and remove methods in the home interface 62
  - 3.3 Session bean remote component interface 65
    - Methods in the remote component interface 65 ♦ Methods from the EJBObject interface 67 ♦ Getting and using the remote component interface 69
  - 3.4 Local interfaces 69
    - Local interfaces and their methods 70
    - Writing local interfaces 72

|     |  |     |
|-----|--|-----|
| 3.5 | Using the client view                                    | 73  |
|     | Locating the home interface                              | 73  |
|     | Accessing a session bean concurrently                    | 75  |
| 3.6 | Summary  | 76  |
| 4   | <i>Birth of a session bean</i>                           | 81  |
| 4.1 | Introducing session beans                                | 82  |
| 4.2 | Implementing a session bean                              | 84  |
|     | Implementing the methods from the client view            | 84  |
|     | ♦ Implementing methods from the SessionBean interface    | 86  |
|     | Putting it all together in code                          | 88  |
| 4.3 | Constructing and creating a session bean                 | 90  |
|     | Creating a session bean instance                         | 90  |
|     | ♦ The stateful session bean creation process             | 91  |
|     | ♦ The ejbCreate methods                                  | 92  |
| 4.4 | Using the SessionContext interface                       | 93  |
| 4.5 | Operations permitted during bean creation                | 96  |
|     | Operations allowed during bean construction              | 96  |
|     | Operations permitted during bean creation                | 98  |
| 4.6 | Responsibilities of the container                        | 99  |
| 4.7 | Summary  | 99  |
| 5   | <i>Lifecycle of a session bean</i>                       | 105 |
| 5.1 | The stateful session bean lifecycle: An overview         | 106 |
|     | The does not exist state                                 | 106 |
|     | ♦ The method ready state                                 | 108 |
|     | The passive state  | 108 |
| 5.2 | The stateless session bean lifecycle: To be or not to be | 109 |
| 5.3 | Into and out of a nap: Passivation and activation        | 111 |
|     | Implementing ejbPassivate() and ejbActivate()            | 111 |
|     | Permitted operations and access                          | 112 |
| 5.4 | Removing a session bean instance                         | 114 |
| 5.5 | Where the bean rocks: The business methods               | 116 |
|     | Implementation of business methods                       | 116 |
|     | Operations from the business methods                     | 117 |
| 5.6 | Summary  | 118 |

## *Part 3 Entity beans 123*

- 6 *Client view of an entity bean 125*
  - 6.1 Introducing entity beans 126
    - The core functionality of an entity bean 127
    - Entity, entity bean, and entity bean instance 129
    - Characteristics of an entity bean 131
  - 6.2 Entity bean remote home interface 131
    - Required methods in the remote home interface 132
    - Additional methods in the home interface 134
  - 6.3 Entity bean remote component interface 138
    - Methods in the remote component interface 138
    - Getting and using the remote component interface 140
  - 6.4 Local interfaces 141
  - 6.5 Using the client view 142
    - Locating the home interface 143 ♦ Accessing an entity bean 144 ♦ Accessing an entity bean concurrently 145
  - 6.6 Summary 146
- 7 *Birth of an entity bean 151*
  - 7.1 Here comes entity bean persistence 152
    - Synchronizing entity and entity bean 153
    - CMP and BMP entity beans 154
  - 7.2 Implementing a CMP entity bean 155
    - Implementing methods from the interfaces 155 ♦ Methods for virtual persistent fields 159 ♦ Putting it all together in code 160
  - 7.3 Constructing an entity bean 163
    - Constructing a bean instance 163 ♦ Using the EntityContext interface 164 ♦ Operations allowed during bean construction 166
  - 7.4 Creating an entity bean 168
    - CMP entity bean creation process 168
    - Operations allowed during bean creation 171
  - 7.5 Identifying entity beans 172
    - Constructing the primary key 173
    - Identifying entity beans with primary keys 174
  - 7.6 Summary 175

|      |  |   |
|------|--|---|
| 8    | <i>Lifecycle of an entity bean</i>                     | 181   |
| 8.1  | Entity bean lifecycle overview                         | 182   |
|      | The does not exist state                               | 182 ♦ The pooled state: No strings attached                 |
|      | The ready state: I'm yours until I go back to the pool | 184 ♦ 185   |
| 8.2  | Finding a bean and doing a select                      | 186   |
|      | The ejbFind methods                                    | 186 ♦ The ejbSelect methods                                 |
|      | The ejbSelect methods                                  | 187   |
| 8.3  | Doing business from home                               | 188   |
|      | Writing home business methods                          | 189 ♦ Using EntityContext: Communicating with the container |
|      | Using EntityContext: Communicating with the container  | 189   |
| 8.4  | In and out of the pool                                 | 190   |
|      | Activating a bean instance                             | 191   |
|      | Passivating a bean instance                            | 192   |
| 8.5  | Where the bean rocks: The ready state                  | 193   |
|      | Implementation of business methods                     | 193 ♦ Operations from business methods                      |
|      | Operations from business methods                       | 194 ♦ Removing a bean instance                              |
|      | Removing a bean instance                               | 195   |
| 8.6  | Summary  | 196   |
| 9    | <i>Entity bean relationships</i>                       | 202   |
| 9.1  | Using beans to represent database tables               | 203   |
|      | Beans representing related tables                      | 203   |
|      | Establishing a relationship between two entity beans   | 206   |
| 9.2  | Container-managed relationships                        | 207   |
|      | One-to-one relationships                               | 207 ♦ One-to-many relationships                             |
|      | One-to-many relationships                              | 208 ♦ Many-to-many relationships                            |
|      | Many-to-many relationships                             | 210   |
| 9.3  | Managing persistence and relationships                 | 211   |
|      | Container-managed persistent fields                    | 212   |
|      | Container-managed relationship fields                  | 214   |
| 9.4  | Programming for CMP and CMR                            | 217   |
| 9.5  | Relationships and remove protocols                     | 221   |
| 9.6  | Summary  | 221   |
| 10   | <i>EJB query language</i>                              | 227   |
| 10.1 | The role of EJB QL in persistence                      | 228   |
|      | Pieces of the persistence puzzle                       | 228   |
|      | From abstract schema to database table                 | 229   |

- 10.2 Abstract schema and query syntax 231
  - EJB QL syntax and definitions 231
  - Handling the query return types 232
- 10.3 Query domains and navigation 233
  - Navigating the path 233
  - Dealing with Collections in path navigation 234
- 10.4 Identifiers and input parameters 235
  - Identifiers 235 ♦ Input parameters 236
- 10.5 Operators and expressions 237
  - Operators 237 ♦ Expressions 238
- 10.6 Summary 239

## *Part 4 Message-driven beans 245*

- 11 *Message-driven beans 247*
  - 11.1 Using message-driven beans for asynchronous communication 248
    - Message-driven bean: A JMS message consumer 249
    - Client view of an MDB 250
  - 11.2 Implementing a message-driven bean 251
    - Writing an MDB class 251
    - Requirements for an MDB class 253
  - 11.3 The lifecycle of a message-driven bean 254
    - States of the lifecycle 254
    - Using the MessageDrivenContext interface 256
  - 11.4 The message destination types 258
    - The Queue destination 258 ♦ The Topic destination 258
  - 11.5 Summary 259

## *Part 5 EJB services 265*

- 12 *EJB transactions 267*
  - 12.1 Understanding transactions 268
    - Defining transactions 268 ♦ Distributed transactions 270
  - 12.2 Implementing EJB transactions 270
    - Interfaces for transactions 271 ♦ Using bean-managed transactions demarcation 272 ♦ Using container-managed transaction demarcation 274

|           |  |  |
|-----------|--|--|
| 12.3      | Transaction attributes                                 | 274  |
|           | Defining transaction attributes                        | 275 ♦ Transaction attributes in action 278 ♦ Using transaction attributes 279  |
|           | Transaction attributes used by beans                   | 281  |
| 12.4      | Specifying transactions in a deployment descriptor     | 282  |
|           | Specifying the transaction type for a bean             | 282  |
|           | Specifying the transaction attribute for a bean method | 282  |
| 12.5      | Transaction synchronization                            | 284  |
| 12.6      | Summary  | 286  |
| <b>13</b> | <b><i>EJB exceptions</i></b>                           | <b>292</b>   |
| 13.1      | Exceptions in Java                                     | 293  |
|           | The exceptions tree in Java                            | 293  |
|           | Checked exceptions and runtime exceptions              | 294  |
| 13.2      | Exceptions in EJB                                      | 295  |
|           | Standard EJB application exceptions                    | 295  |
|           | Standard EJB system exceptions                         | 298  |
| 13.3      | Bean provider's responsibilities                       | 301  |
|           | Dealing with application exceptions                    | 301  |
|           | Dealing with system exceptions                         | 303  |
| 13.4      | Container's responsibilities                           | 304  |
|           | Application exceptions                                 | 304 ♦ System exceptions 304  |
| 13.5      | Summary  | 305  |
| <b>14</b> | <b><i>EJB security</i></b>                             | <b>310</b>   |
| 14.1      | Implementing security in EJB                           | 311  |
|           | Understanding basic security concepts                  | 311  |
|           | Security in EJB  | 312  |
| 14.2      | Defining the security roles                            | 313  |
| 14.3      | Defining method permissions                            | 314  |
|           | Granting permission to all methods                     | 314 ♦ Granting permission method by method 315 ♦ Distinguishing between overloaded methods 316 ♦ Distinguishing between interfaces 316 |
| 14.4      | Controlling the propagating security identity          | 317  |
| 14.5      | Disabling methods                                      | 319  |
| 14.6      | Programming security                                   | 319  |
|           | Limitations of declarative security                    | 319  |
|           | Implementing programmatic security                     | 320  |
|           | References to security roles                           | 321  |



- 14.7 Responsibilities in implementing EJB security 322
  - Implementing EJB security 322
  - Deploying EJB security 323
- 14.8 Summary 324

### *Appendices*

- A Installing and running RI J2SDKEE 1.3 329*
- B An introduction to XML 344*
- C A sample deployment descriptor file 355*
- D Review questions and answers 359*
- E Exam Quick Prep 404*
- index 447*